

# PAD Districts

File Geodatabase Feature Class



## Tags

PADD, Petroleum Administration for Defense Districts, regulatory

## Summary

The U.S. is divided into five Petroleum Administration for Defense Districts (PADD) as defined by the U.S. government. PADD I-V.

## Description

Petroleum Administration for Defense Districts (PADDs)

## Credits

©Platts, a division of McGraw Hill Financial, Inc. All rights reserved.

## Use limitations

Not to be redistributed unless expressly permitted by Platts.

## Extent

**West** -179.144775    **East** -66.980408  
**North** 71.332703    **South** 18.913879

## Scale Range

**Maximum (zoomed in)** 1:5,000  
**Minimum (zoomed out)** 1:150,000,000

## ArcGIS Metadata ►

### Topics and Keywords ►

\* CONTENT TYPE Downloadable Data

*Hide Topics and Keywords ▲*

### Citation ►

TITLE PAD Districts

PRESENTATION FORMATS \* digital map

[Hide Citation ▲](#)

## Resource Details ►

DATASET LANGUAGES \* English (UNITED STATES)

SPATIAL REPRESENTATION TYPE \* vector

\* PROCESSING ENVIRONMENT Microsoft Windows 7 Version 6.1 (Build 7601) Service Pack 1; Esri ArcGIS 10.2.2.3552

### CREDITS

©Platts, a division of McGraw Hill Financial, Inc. All rights reserved.

### ARCGIS ITEM PROPERTIES

\* NAME NGL\_PAD\_Districts

\* SIZE 2.204

\* LOCATION file:///\\CO07-DCVRTZ1\C\$\Users\claudie\_frank\Documents\Temp\Prod\_Copy.gdb

\* ACCESS PROTOCOL Local Area Network

[Hide Resource Details ▲](#)

## Extents ►

### EXTENT

#### GEOGRAPHIC EXTENT

##### BOUNDING RECTANGLE

EXTENT TYPE Extent used for searching

\* WEST LONGITUDE -179.144775

\* EAST LONGITUDE -66.980408

\* NORTH LATITUDE 71.332703

\* SOUTH LATITUDE 18.913879

\* EXTENT CONTAINS THE RESOURCE Yes

### EXTENT IN THE ITEM'S COORDINATE SYSTEM

\* WEST LONGITUDE -179.144775

\* EAST LONGITUDE -66.980408

\* SOUTH LATITUDE 18.913879

\* NORTH LATITUDE 71.332703

\* EXTENT CONTAINS THE RESOURCE Yes

[Hide Extents ▲](#)

## Resource Constraints ►

### CONSTRAINTS

#### LIMITATIONS OF USE

Not to be redistributed unless expressly permitted by Platts.

[Hide Resource Constraints ▲](#)

## Spatial Reference ►

#### ARCGIS COORDINATE SYSTEM

- \* TYPE Geographic
- \* GEOGRAPHIC COORDINATE REFERENCE GCS\_WGS\_1984
- \* COORDINATE REFERENCE DETAILS
  - GEOGRAPHIC COORDINATE SYSTEM
  - WELL-KNOWN IDENTIFIER 4326
  - X ORIGIN -400
  - Y ORIGIN -400
  - XY SCALE 999999999.99999988
  - Z ORIGIN -100000
  - Z SCALE 10000
  - M ORIGIN -100000
  - M SCALE 10000
  - XY TOLERANCE 8.983152841195215e-009
  - Z TOLERANCE 0.001
  - M TOLERANCE 0.001
  - HIGH PRECISION true
  - LEFT LONGITUDE -180
  - LATEST WELL-KNOWN IDENTIFIER 4326
  - WELL-KNOWN TEXT GEOGCS["GCS\_WGS\_1984",DATUM["D\_WGS\_1984",SPHEROID["WGS\_1984",6378137.0,298.257223563]],PRIMEM["Greenwich",0.0],UNIT["Degree",0.0174532925199433],AUTHORITY["EPSG",4326]]

#### REFERENCE SYSTEM IDENTIFIER

- \* VALUE 4326
- \* CODESPACE EPSG
- \* VERSION 8.2.6

[Hide Spatial Reference ▲](#)

## Spatial Data Properties ►

#### VECTOR ►

- \* LEVEL OF TOPOLOGY FOR THIS DATASET geometry only

#### GEOMETRIC OBJECTS

- FEATURE CLASS NAME NGL\_PAD\_Districts
- \* OBJECT TYPE composite
- \* OBJECT COUNT 9

[Hide Vector ▲](#)

#### ARCGIS FEATURE CLASS PROPERTIES ►

- FEATURE CLASS NAME NGL\_PAD\_Districts
- \* FEATURE TYPE Simple
- \* GEOMETRY TYPE Polygon
- \* HAS TOPOLOGY FALSE
- \* FEATURE COUNT 9
- \* SPATIAL INDEX TRUE
- \* LINEAR REFERENCING FALSE

[Hide ArcGIS Feature Class Properties ▲](#)

[Hide Spatial Data Properties ▲](#)

## Geoprocessing history ►

PROCESS

PROCESS NAME

DATE 2012-08-02 13:34:54

TOOL LOCATION C:\Program Files\ArcGIS\ArcToolbox\Toolboxes\Data Management Tools.tbx\CopyFeatures

COMMAND ISSUED

CopyFeatures G:\Bui l ds\ESRI\_Shape\states.shp  
G:\Bui l ds\ESRI\_Shape\Aug2012.gdb\states # 0 0 0

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2012-08-02 13:53:58

TOOL LOCATION C:\Program Files\ArcGIS\ArcToolbox\Toolboxes\Data Management Tools.tbx\CopyFeatures

COMMAND ISSUED

CopyFeatures G:\Bui l ds\ESRI\_Shape\Aug2012.gdb\states  
G:\Bui l ds\ESRI\_Shape\shp\states.shp # 0 0 0

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-07-24 15:24:39

TOOL LOCATION C:\Program Files\ArcGIS\ArcToolbox\Toolboxes\Data Management Tools.tbx\CopyFeatures

COMMAND ISSUED

CopyFeatures G:\Bui l ds\ESRI\_Shape\states.shp  
G:\Bui l ds\ESRI\_Shape\2013\_Q2.gdb\states # 0 0 0

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-07-24 22:30:08

TOOL LOCATION C:\Program Files\ArcGIS\ArcToolbox\Toolboxes\Data Management Tools.tbx\CopyFeatures

COMMAND ISSUED

CopyFeatures G:\Bui l ds\ESRI\_Shape\2013\_Q2.gdb\states  
G:\Bui l ds\ESRI\_Shape\states.shp # 0 0 0

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-10-15 08:02:46

TOOL LOCATION C:\Program Files\ArcGIS\ArcToolbox\Toolboxes\Data Management Tools.tbx\CopyFeatures

COMMAND ISSUED

CopyFeatures G:\Bui l ds\ESRI\_Shape\states.shp  
G:\Bui l ds\ESRI\_Shape\2013\_Q3.gdb\states # 0 0 0

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-10-15 09:39:38

TOOL LOCATION C:\Program Files\ArcGIS\ArcToolbox\Toolboxes\Data Management Tools.tbx\CopyFeatures

COMMAND ISSUED

CopyFeatures G:\Bui l ds\ESRI\_Shape\2013\_Q3.gdb\states G:\Bui l ds\ESRI\_Shape\Q3  
\states.shp # 0 0 0

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2014-03-06 12:58:41

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

Cal cul ateFi el d PADD PADD\_NO 5 VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2014-03-06 12:59:49

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

Cal cul ateFi el d PADD PADD\_NO 5 VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2014-03-06 13:00:13

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

Cal cul ateFi el d PADD PADD\_NAME "West Coast, Al aska, Hawai i" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2014-03-06 13:02:41

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

Cal cul ateFi el d PADD PADD\_NO 2 VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2014-03-06 13:03:22

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

Cal cul ateFi el d PADD PADD\_NAME "Rocky Mountai n" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2014-03-06 13:08:16

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

Cal cul ateFi el d PADD PADD\_NO 3 VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2014-03-06 13:08:37

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField  
COMMAND ISSUED  
Cal cul ateFi el d PADD PADD\_NAME "Gul f Coast" VB #  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME  
DATE 2014-03-06 13:10:57  
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField  
COMMAND ISSUED  
Cal cul ateFi el d PADD PADD\_NAME "East Coast" VB #  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME  
DATE 2014-03-06 13:11:07  
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField  
COMMAND ISSUED  
Cal cul ateFi el d PADD PADD\_NO 1 VB #  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME  
DATE 2014-03-06 13:13:21  
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField  
COMMAND ISSUED  
Cal cul ateFi el d PADD PADD\_NAME "Lower Atl anti c" VB #  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME  
DATE 2014-03-06 13:15:03  
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField  
COMMAND ISSUED  
Cal cul ateFi el d PADD PADD\_No1 [PADD\_NO] VB #  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME  
DATE 2014-03-06 13:15:37  
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField  
COMMAND ISSUED  
Cal cul ateFi el d PADD PADD\_No1 "1C" VB #  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME  
DATE 2014-03-06 13:20:12  
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField  
COMMAND ISSUED  
Cal cul ateFi el d PADD PADD\_No1 "1B" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2014-03-06 13:20:23

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

Cal cul ateFi el d PADD PADD\_NAME "Central Atl anti c" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2014-03-06 13:22:53

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

Cal cul ateFi el d PADD PADD\_No1 "1A" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2014-03-06 13:23:38

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

Cal cul ateFi el d PADD PADD\_NAME "East Coast: New Engl and" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2014-03-06 13:24:16

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

Cal cul ateFi el d PADD PADD\_NAME "East Coast: Lower Atl anti c" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2014-03-06 13:25:09

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

Cal cul ateFi el d PADD PADD\_NAME "East Coast: Central Atl anti c" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2014-03-06 13:29:13

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

Cal cul ateFi el d PADD PADD\_NAME "Mi dwest: I ndi ana-I l l i noi s-Kentucky" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2014-03-06 13:29:27  
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField  
COMMAND ISSUED  
Cal cul ateFi el d PADD PADD\_No1 2 VB #  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME  
DATE 2014-03-06 13:31:29  
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField  
COMMAND ISSUED  
Cal cul ateFi el d PADD PADD\_NAME "Mi dwest: IN/IL/KY" VB #  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME  
DATE 2014-03-06 13:32:17  
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField  
COMMAND ISSUED  
Cal cul ateFi el d PADD PADD\_NAME "Mi dwest: MN/ND/SD/WI " VB #  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME  
DATE 2014-03-06 13:33:28  
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField  
COMMAND ISSUED  
Cal cul ateFi el d PADD PADD\_NAME "Mi dwest: OK/KS/MO" VB #  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME  
DATE 2014-03-06 13:34:19  
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField  
COMMAND ISSUED  
Cal cul ateFi el d PADD PADD\_No1 2 VB #  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME  
DATE 2014-03-06 13:35:19  
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField  
COMMAND ISSUED  
Cal cul ateFi el d PADD PADD\_No1 4 VB #  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME  
DATE 2014-03-06 13:37:19  
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField  
COMMAND ISSUED



CalculateField PADD PADD\_NAME "Midwest: IN/IL/KY/MI/OH/TN" VB #  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME  
DATE 2014-03-06 13:38:14  
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data  
Management Tools.tbx\CalculateField  
COMMAND ISSUED  
CalculateField PADD PADD\_No1 "2" VB #  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME  
DATE 2014-03-06 13:38:52  
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data  
Management Tools.tbx\CalculateField  
COMMAND ISSUED  
CalculateField PADD PADD\_NAME "Midwest: OK/KS/MO/NE/IA" VB #  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME  
DATE 2014-03-06 13:41:38  
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data  
Management Tools.tbx\CalculateField  
COMMAND ISSUED  
CalculateField PADD PADD\_No1 2 VB #  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME  
DATE 2014-03-06 13:41:54  
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data  
Management Tools.tbx\CalculateField  
COMMAND ISSUED  
CalculateField PADD PADD\_No1 0 VB #  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME  
DATE 2014-03-06 13:44:31  
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data  
Management Tools.tbx\CalculateField  
COMMAND ISSUED  
CalculateField PADD PADD\_NAME "" VB #  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME  
DATE 2014-03-06 14:01:57  
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data  
Management Tools.tbx\Dissolve  
COMMAND ISSUED  
Dissolve PADD\_States C:\Users\cl aude\_frank.MHF\Documents\Temp\PADD\_dissolve.shp  
PADD\_NAME; PADD\_No1 # MULTI\_PART DISSOLVE\_LINES  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-04-21 11:48:08

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CopyFeatures

COMMAND ISSUED

CopyFeatures GPL0 M: \MapData\Master\_Layers\Prod\_Copy.gdb\NGL\_PAD\_Districts # 0  
0 0

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

*Hide Geoprocessing history ▲*

## Distribution ►

DISTRIBUTOR ►

AVAILABLE FORMAT

\* NAME Shapefile

TRANSFER OPTIONS

\* TRANSFER SIZE 5.800

ONLINE SOURCE

\* LOCATION file://\co02FIL001\gis\Builds\ESRI\_Shape\states.shp

\* ACCESS PROTOCOL Local Area Network

\* DESCRIPTION Downloadable Data

*Hide Distributor ▲*

DISTRIBUTION FORMAT

\* NAME File Geodatabase Feature Class

TRANSFER OPTIONS

\* TRANSFER SIZE 2.204

*Hide Distribution ▲*

## Fields ►

DETAILS FOR OBJECT NGL\_PAD\_Districts ►

\* TYPE Feature Class

\* ROW COUNT 9

FIELD OBJECTID ►

\* ALIAS OBJECTID

\* DATA TYPE OID

\* WIDTH 4

\* PRECISION 0

\* SCALE 0

\* FIELD DESCRIPTION

Internal feature number.

\* DESCRIPTION SOURCE

Esri

\* DESCRIPTION OF VALUES

Sequential unique whole numbers that are automatically generated.

*Hide Field OBJECTID ▲*

FIELD Shape ►

- \* ALIAS Shape
- \* DATA TYPE Geometry
- \* WIDTH 0
- \* PRECISION 0
- \* SCALE 0
- \* FIELD DESCRIPTION  
Feature geometry.
  
- \* DESCRIPTION SOURCE  
ESRI
  
- \* DESCRIPTION OF VALUES  
Coordinates defining the features.

*Hide Field Shape ▲*

FIELD NAME ►

- \* ALIAS NAME
- \* DATA TYPE String
- \* WIDTH 50
- \* PRECISION 0
- \* SCALE 0
- \* FIELD DESCRIPTION  
Name of the District

*Hide Field NAME ▲*

FIELD NUMBER ►

- \* ALIAS NUMBER
- \* DATA TYPE String
- \* WIDTH 3
- \* PRECISION 0
- \* SCALE 0
- \* FIELD DESCRIPTION  
Number of the District

*Hide Field NUMBER ▲*

FIELD Shape\_Length ►

- \* ALIAS Shape\_Length
- \* DATA TYPE Double
- \* WIDTH 8
- \* PRECISION 0
- \* SCALE 0
- \* FIELD DESCRIPTION  
Length of feature in internal units.
  
- \* DESCRIPTION SOURCE

Esri

\* DESCRIPTION OF VALUES

Positive real numbers that are automatically generated.

*Hide Field Shape\_Length ▲*

FIELD Shape\_Area ►

\* ALIAS Shape\_Area

\* DATA TYPE Double

\* WIDTH 8

\* PRECISION 0

\* SCALE 0

\* FIELD DESCRIPTION

Area of feature in internal units squared.

\* DESCRIPTION SOURCE

Esri

\* DESCRIPTION OF VALUES

Positive real numbers that are automatically generated.

*Hide Field Shape\_Area ▲*

*Hide Details for object NGL\_PAD\_Districts ▲*

*Hide Fields ▲*

## Metadata Details ►

\* METADATA LANGUAGE English (UNITED STATES)

\* METADATA CHARACTER SET utf8 - 8 bit UCS Transfer Format

SCOPE OF THE DATA DESCRIBED BY THE METADATA \* dataset

SCOPE NAME \* dataset

\* LAST UPDATE 2015-05-27

### ARCGIS METADATA PROPERTIES

METADATA FORMAT ArcGIS 1.0

METADATA STYLE FGDC CSDGM Metadata

STANDARD OR PROFILE USED TO EDIT METADATA FGDC

CREATED IN ARCGIS FOR THE ITEM 2014-03-27 16:10:32

LAST MODIFIED IN ARCGIS FOR THE ITEM 2015-05-27 15:01:29

### AUTOMATIC UPDATES

HAVE BEEN PERFORMED Yes

LAST UPDATE 2015-05-27 15:01:29

[Hide Metadata Details ▲](#)

## Thumbnail and Enclosures ►

THUMBNAIL

THUMBNAIL TYPE   JPG

[Hide Thumbnail and Enclosures ▲](#)

## FGDC Metadata (read-only) ►

### Identification ►

CITATION

CITATION INFORMATION

ORIGINATOR   Platts, a division of McGraw Hill Financial, Inc.

PUBLICATION DATE   05/15/2015

PUBLICATION TIME   09:00

TITLE

PAD Districts

GEOSPATIAL DATA PRESENTATION FORM   vector digital data

PUBLICATION INFORMATION

PUBLICATION PLACE   Denver, CO

PUBLISHER   Platts, a division of McGraw Hill Financial, Inc.

ONLINE LINKAGE   <http://www.platts.com/maps-geospatial>

ONLINE LINKAGE   <http://www.maps.platts.com>

DESCRIPTION

ABSTRACT

Petroleum Administration for Defense Districts (PADDs)

PURPOSE

The U.S. is divided into five Petroleum Administration for Defense Districts (PADD) as defined by the U.S. government. PADD I-V.

SPATIAL DOMAIN

BOUNDING COORDINATES

WEST BOUNDING COORDINATE   -179.144775391

EAST BOUNDING COORDINATE   -66.980407715

NORTH BOUNDING COORDINATE   71.3327026370001

SOUTH BOUNDING COORDINATE   18.913879395

KEYWORDS

THEME

THEME KEYWORD THESAURUS   REQUIRED: Reference to a formally registered thesaurus or a similar authoritative source of theme keywords.

ACCESS CONSTRAINTS

Access is limited to the users identified in Master Service Agreement with Platts.

POINT OF CONTACT

CONTACT INFORMATION

CONTACT ORGANIZATION PRIMARY

CONTACT ORGANIZATION   Platts, a division of McGraw Hill Financial, Inc.

CONTACT PERSON   Geospatial Manager

CONTACT POSITION   Platts Geospatial Team, Denver CO, USA

CONTACT ADDRESS

ADDRESS TYPE   Street Address

ADDRESS   1800 Larimer Street, Suite 2000

CITY   Denver

STATE OR PROVINCE CO  
POSTAL CODE 80202  
COUNTRY UNITED STATES

CONTACT VOICE TELEPHONE 1-800-PLATTS-8  
CONTACT ELECTRONIC MAIL ADDRESS maps@platts.com  
CONTACT ELECTRONIC MAIL ADDRESS maps@bentekenergy.com  
HOURS OF SERVICE 8am-4pm  
CONTACT INSTRUCTIONS  
Email us at maps@platts.com.

NATIVE DATA SET ENVIRONMENT  
Microsoft Windows 7 Version 6.1 (Build 7601) Service Pack 1; Esri ArcGIS 10.2.0.3348

*Hide Identification* ▲

## Spatial Reference ►

### HORIZONTAL COORDINATE SYSTEM DEFINITION

#### GEOGRAPHIC

LATITUDE RESOLUTION 0.000000  
LONGITUDE RESOLUTION 0.000000  
GEOGRAPHIC COORDINATE UNITS Decimal degrees

#### GEODETTIC MODEL

HORIZONTAL DATUM NAME D\_WGS\_1984  
ELLIPSOID NAME WGS\_1984  
SEMI-MAJOR AXIS 6378137  
DENOMINATOR OF FLATTENING RATIO 298.257224

*Hide Spatial Reference* ▲

## Entities and Attributes ►

### DETAILED DESCRIPTION

#### ENTITY TYPE

ENTITY TYPE LABEL NGL\_PAD\_Districts

#### ATTRIBUTE

ATTRIBUTE LABEL OBJECTID

#### ATTRIBUTE DEFINITION

Internal feature number.

ATTRIBUTE DEFINITION SOURCE Esri

#### ATTRIBUTE DOMAIN VALUES

UNREPRESENTABLE DOMAIN

Sequential unique whole numbers that are automatically generated.

#### ATTRIBUTE

ATTRIBUTE LABEL Shape

#### ATTRIBUTE DEFINITION

Feature geometry.

ATTRIBUTE DEFINITION SOURCE ESRI

#### ATTRIBUTE DOMAIN VALUES

UNREPRESENTABLE DOMAIN

Coordinates defining the features.

#### ATTRIBUTE

ATTRIBUTE LABEL NAME  
ATTRIBUTE DEFINITION  
Name of the District

ATTRIBUTE  
ATTRIBUTE LABEL NUMBER  
ATTRIBUTE DEFINITION  
Number of the District

ATTRIBUTE  
ATTRIBUTE LABEL Shape\_Length  
ATTRIBUTE DEFINITION  
Length of feature in internal units.  
ATTRIBUTE DEFINITION SOURCE Esri  
ATTRIBUTE DOMAIN VALUES  
UNREPRESENTABLE DOMAIN  
Positive real numbers that are automatically generated.

ATTRIBUTE  
ATTRIBUTE LABEL Shape\_Area  
ATTRIBUTE DEFINITION  
Area of feature in internal units squared.  
ATTRIBUTE DEFINITION SOURCE Esri  
ATTRIBUTE DOMAIN VALUES  
UNREPRESENTABLE DOMAIN  
Positive real numbers that are automatically generated.

*Hide Entities and Attributes ▲*

## Distribution Information ►

DISTRIBUTION LIABILITY  
Platts is not liable for decisions based on this data. Customer assumes liability and is encouraged to seek multiple sources.

*Hide Distribution Information ▲*

## Metadata Reference ►

METADATA DATE 2015-05-18  
METADATA CONTACT  
CONTACT INFORMATION  
CONTACT ORGANIZATION PRIMARY  
CONTACT ORGANIZATION Platts

METADATA STANDARD NAME FGDC Content Standards for Digital Geospatial Metadata  
METADATA STANDARD VERSION FGDC-STD-001-1998  
METADATA TIME CONVENTION local time

*Hide Metadata Reference ▲*