


Refined Product Pipelines

File Geodatabase Feature Class



Tags

Product pipelines, Refined products, petroleum, Gas transmission, Pipelines, Gas pipelines, ngl, natural gas liquids

Summary

The Platts Product Pipelines geospatial data layer was created to represent the product pipeline transmission system within North America.

Description

The Platts Product Pipelines geospatial data layer contains interstate and intrastate pipelines throughout North America. These pipelines represent the "midstream" transportation routes of refined products. Included in the layer are proposed and under construction pipeline projects.

Credits

Data is property of Platts, a division of McGraw Hill Financial, Inc. Data is not to be distributed without express, written consent of Platts.

Use limitations

Access is limited to the users identified in the Master Service Agreement (MSA) with Platts.

Extent

West -158.129943 **East** -68.778158
North 70.326705 **South** 18.078362

Scale Range

Maximum (zoomed in) 1:5,000
Minimum (zoomed out) 1:150,000,000

ArcGIS Metadata ►

Topics and Keywords ►

* CONTENT TYPE Downloadable Data

Hide Topics and Keywords ▲

Citation ▶

TITLE Refined Product Pipelines

PRESENTATION FORMATS * digital map

[Hide Citation ▲](#)

Resource Details ▶

DATASET LANGUAGES * English (UNITED STATES)

SPATIAL REPRESENTATION TYPE * vector

* PROCESSING ENVIRONMENT Microsoft Windows 7 Version 6.1 (Build 7601) Service Pack 1; Esri ArcGIS 10.2.2.3552

CREDITS

Data is property of Platts, a division of McGraw Hill Financial, Inc. Data is not to be distributed without express, written consent of Platts.

ARCGIS ITEM PROPERTIES

* NAME NGL_Refined_Product_Pipelines

* SIZE 26.727

* LOCATION file://\CO07-DCVRTZ1\C\$\Users\claudie_frank\Documents\Temp\Prod_Copy.gdb

* ACCESS PROTOCOL Local Area Network

[Hide Resource Details ▲](#)

Extents ▶

EXTENT

GEOGRAPHIC EXTENT

BOUNDING RECTANGLE

EXTENT TYPE Extent used for searching

* WEST LONGITUDE -158.129943

* EAST LONGITUDE -68.778158

* NORTH LATITUDE 70.326705

* SOUTH LATITUDE 18.078362

* EXTENT CONTAINS THE RESOURCE Yes

EXTENT IN THE ITEM'S COORDINATE SYSTEM

* WEST LONGITUDE -158.129943

* EAST LONGITUDE -68.778158

* SOUTH LATITUDE 18.078362

* NORTH LATITUDE 70.326705

* EXTENT CONTAINS THE RESOURCE Yes

[Hide Extents ▲](#)

Resource Constraints ▶

CONSTRAINTS

LIMITATIONS OF USE

Access is limited to the users identified in the Master Service Agreement (MSA) with

Platts.

[Hide Resource Constraints ▲](#)

Spatial Reference ►

ARCGIS COORDINATE SYSTEM

- * TYPE Geographic
- * GEOGRAPHIC COORDINATE REFERENCE GCS_WGS_1984
- * COORDINATE REFERENCE DETAILS
 - GEOGRAPHIC COORDINATE SYSTEM
 - WELL-KNOWN IDENTIFIER 4326
 - X ORIGIN -400
 - Y ORIGIN -400
 - XY SCALE 999999999.99999988
 - Z ORIGIN -100000
 - Z SCALE 10000
 - M ORIGIN -100000
 - M SCALE 10000
 - XY TOLERANCE 8.983152841195215e-009
 - Z TOLERANCE 0.001
 - M TOLERANCE 0.001
 - HIGH PRECISION true
 - LEFT LONGITUDE -180
 - LATEST WELL-KNOWN IDENTIFIER 4326
 - WELL-KNOWN TEXT GEOGCS["GCS_WGS_1984",DATUM["D_WGS_1984",SPHEROID["WGS_1984",6378137.0,298.257223563]],PRIMEM["Greenwich",0.0],UNIT["Degree",0.0174532925199433],AUTHORITY["EPSG",4326]]

REFERENCE SYSTEM IDENTIFIER

- * VALUE 4326
- * CODESPACE EPSG
- * VERSION 8.2.6

[Hide Spatial Reference ▲](#)

Spatial Data Properties ►

VECTOR ►

- * LEVEL OF TOPOLOGY FOR THIS DATASET geometry only

GEOMETRIC OBJECTS

FEATURE CLASS NAME NGL_Refined_Product_Pipelines

- * OBJECT TYPE composite
- * OBJECT COUNT 15383

[Hide Vector ▲](#)

ARCGIS FEATURE CLASS PROPERTIES ►

FEATURE CLASS NAME NGL_Refined_Product_Pipelines

- * FEATURE TYPE Simple
- * GEOMETRY TYPE Polyline
- * HAS TOPOLOGY FALSE
- * FEATURE COUNT 15383
- * SPATIAL INDEX TRUE

* LINEAR REFERENCING FALSE

[Hide ArcGIS Feature Class Properties ▲](#)

[Hide Spatial Data Properties ▲](#)

Geoprocessing history ►

PROCESS

PROCESS NAME

DATE 2012-08-02 13:32:50

TOOL LOCATION C:\Program Files\ArcGIS\ArcToolbox\Toolboxes\Data Management Tools.tbx\CopyFeatures

COMMAND ISSUED

CopyFeatures G:\Bui I ds\ESRI_Shape\prod_pi pe. shp
G:\Bui I ds\ESRI_Shape\Aug2012. gdb\prod_pi pe # 0 0 0

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2012-08-02 13:52:13

TOOL LOCATION C:\Program Files\ArcGIS\ArcToolbox\Toolboxes\Data Management Tools.tbx\CopyFeatures

COMMAND ISSUED

CopyFeatures G:\Bui I ds\ESRI_Shape\Aug2012. gdb\prod_pi pe
G:\Bui I ds\ESRI_Shape\shp\prod_pi pe. shp # 0 0 0

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-07-24 15:22:41

TOOL LOCATION C:\Program Files\ArcGIS\ArcToolbox\Toolboxes\Data Management Tools.tbx\CopyFeatures

COMMAND ISSUED

CopyFeatures G:\Bui I ds\ESRI_Shape\prod_pi pe. shp
G:\Bui I ds\ESRI_Shape\2013_Q2. gdb\prod_pi pe # 0 0 0

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-07-24 22:27:36

TOOL LOCATION C:\Program Files\ArcGIS\ArcToolbox\Toolboxes\Data Management Tools.tbx\CopyFeatures

COMMAND ISSUED

CopyFeatures G:\Bui I ds\ESRI_Shape\2013_Q2. gdb\prod_pi pe
G:\Bui I ds\ESRI_Shape\prod_pi pe. shp # 0 0 0

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-10-15 08:00:37

TOOL LOCATION C:\Program Files\ArcGIS\ArcToolbox\Toolboxes\Data Management Tools.tbx\CopyFeatures

COMMAND ISSUED

CopyFeatures G:\Bui I ds\ESRI_Shape\prod_pi pe. shp
G:\Bui I ds\ESRI_Shape\2013_Q3. gdb\prod_pi pe # 0 0 0

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-10-15 09:36:53

TOOL LOCATION C:\Program Files\ArcGIS\ArcToolbox\Toolboxes\Data Management Tools.tbx\CopyFeatures

COMMAND ISSUED

CopyFeatures G:\Builds\ESRI_Shape\2013_Q3.gdb\prod_pipe G:\Builds\ESRI_Shape\Q3\prod_pipe.shp # 0 0 0

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2014-11-12 11:25:20

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\Merge

COMMAND ISSUED

Merge Prod_Pipe; Added_NGL_Pipes2

C:\Users\claudefrank\Documents\ArcGIS\Default.gdb\Prod_Pipe_Merge1 "CHARID "CHARID" true true false 10 Text 0 0 , First, #, Prod_Pipe, CHARID, -1, -1, Added_NGL_Pipes2, CHARID, -1, -1; COMPNAME "COMPNAME" true true false 50 Text 0 0 , First, #, Prod_Pipe, COMPNAME, -1, -1, Added_NGL_Pipes2, COMPNAME, -1, -1; DIAMETER "DIAMETER" true true false 8 Double 0 0 , First, #, Prod_Pipe, DIAMETER, -1, -1, Added_NGL_Pipes2, DIAMETER, -1, -1; SYSTEM "SYSTEM" true true false 100 Text 0 0 , First, #, Prod_Pipe, SYSTEM, -1, -1, Added_NGL_Pipes2, SYSTEM, -1, -1; PRODUCT "PRODUCT" true true false 50 Text 0 0 , First, #, Prod_Pipe, PRODUCT, -1, -1, Added_NGL_Pipes2, PRODUCT, -1, -1; CATEGORY "CATEGORY" true true false 30 Text 0 0 , First, #, Prod_Pipe, CATEGORY, -1, -1, Added_NGL_Pipes2, CATEGORY, -1, -1; TYPE "TYPE" true true false 20 Text 0 0 , First, #, Prod_Pipe, TYPE, -1, -1, Added_NGL_Pipes2, TYPE, -1, -1; LENGTHMI "LENGTHMI" true true false 8 Double 0 0 , First, #, Prod_Pipe, LENGTHMI, -1, -1, Added_NGL_Pipes2, LENGTHMI, -1, -1; LENGTHKM "LENGTHKM" true true false 8 Double 0 0 , First, #, Prod_Pipe, LENGTHKM, -1, -1, Added_NGL_Pipes2, LENGTHKM, -1, -1; COMPID "COMPID" true true false 8 Double 0 0 , First, #, Prod_Pipe, COMPID, -1, -1, Added_NGL_Pipes2, COMPID, -1, -1; PIPEID "PIPEID" true true false 8 Double 0 0 , First, #, Prod_Pipe, PIPEID, -1, -1, Added_NGL_Pipes2, PIPEID, -1, -1; PROJNAME "PROJNAME" true true false 100 Text 0 0 , First, #, Prod_Pipe, PROJNAME, -1, -1, Added_NGL_Pipes2, PROJNAME, -1, -1; PROJSTATUS "PROJSTATUS" true true false 50 Text 0 0 , First, #, Prod_Pipe, PROJSTATUS, -1, -1, Added_NGL_Pipes2, PROJSTATUS, -1, -1; PROJINSVC "PROJINSVC" true true false 8 Date 0 0 , First, #, Prod_Pipe, PROJINSVC, -1, -1, Added_NGL_Pipes2, PROJINSVC, -1, -1; POSREL "POSREL" true true false 100 Text 0 0 , First, #, Prod_Pipe, POSREL, -1, -1, Added_NGL_Pipes2, POSREL, -1, -1; Shape_Length "Shape_Length" false true true 8 Double 0 0 , First, #, Prod_Pipe, Shape_Length, -1, -1"

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2014-12-15 13:57:11

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\Merge

COMMAND ISSUED

Merge Prod_Pipe; NGL_BentekPipeLineProposed

G:\Development\CommodityGeodatabase\NGL.gdb\Pipes\Prod_Pipe_12152014 "CHARID "CHARID" true true false 10 Text 0 0 , First, #, Prod_Pipe, CHARID, -1, -1; COMPNAME "COMPNAME" true true false 50 Text 0 0 , First, #, Prod_Pipe, COMPNAME, -1, -1, NGL_BentekPipeLineProposed, Owner, -1, -1; DIAMETER "DIAMETER" true true false 8 Double 0 0 , First, #, Prod_Pipe, DIAMETER, -1, -1, NGL_BentekPipeLineProposed, Diameter, -1, -1; SYSTEM "SYSTEM" true true false 100 Text 0 0 , First, #, Prod_Pipe, SYSTEM, -1, -1, NGL_BentekPipeLineProposed, System, -1, -1; PRODUCT "PRODUCT" true true false 50 Text 0 0 , First, #, Prod_Pipe, PRODUCT, -1, -1,

```
1, NGL_BentekPipeline_Proposed, Product, -1, -1; CATEGORY "CATEGORY" true true false
30 Text 0 0 , First, #, Prod_Pipe, CATEGORY, -1, -
1, NGL_BentekPipeline_Proposed, Category, -1, -1; TYPE "TYPE" true true false 20
Text 0 0 , First, #, Prod_Pipe, TYPE, -1, -1; LENGTHMI "LENGTHMI" true true false 8
Double 0 0 , First, #, Prod_Pipe, LENGTHMI, -1, -1; LENGTHKM "LENGTHKM" true true
false 8 Double 0 0 , First, #, Prod_Pipe, LENGTHKM, -1, -1; COMPID "COMPID" true true
false 8 Double 0 0 , First, #, Prod_Pipe, COMPID, -1, -1; PIPEID "PIPEID" true true
false 8 Double 0 0 , First, #, Prod_Pipe, PIPEID, -1, -1; PROJNAME "PROJNAME" true
true false 100 Text 0 0 , First, #, Prod_Pipe, PROJNAME, -1, -1; PROJSTATUS
"PROJSTATUS" true true false 50 Text 0 0 , First, #, Prod_Pipe, PROJSTATUS, -1, -
1, NGL_BentekPipeline_Proposed, Proj_Statu, -1, -1; PROJINSVC "PROJINSVC" true true
false 8 Date 0 0 , First, #, Prod_Pipe, PROJINSVC, -1, -1; POSREL "POSREL" true true
false 100 Text 0 0 , First, #, Prod_Pipe, POSREL, -1, -1; Shape_Leng "Shape_Leng" true
true false 8 Double 0 0 , First, #, Prod_Pipe, Shape_Leng, -1, -
1, NGL_BentekPipeline_Proposed, Shape_Leng, -1, -1"
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2014-12-15 14:11:18

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data
Management Tools.tbx\Merge

COMMAND ISSUED

```
Merge Prod_Pipe_12152014; Pembina_PeacePipeline
G:\Development\CommodityGeodatabase\NGL.gdb\Pipelines\Prod_Pipe_12152014_3
"CHARID "CHARID" true true false 10 Text 0
0 , First, #, Prod_Pipe_12152014, CHARID, -1, -1; COMPNAME "COMPNAME" true true false
50 Text 0 0 , First, #, Prod_Pipe_12152014, COMPNAME, -1, -
1, Pembina_PeacePipeline, Owner, -1, -1; DIAMETER "DIAMETER" true true false 8
Double 0 0 , First, #, Prod_Pipe_12152014, DIAMETER, -1, -
1, Pembina_PeacePipeline, Diameter, -1, -1; SYSTEM "SYSTEM" true true false 100 Text
0 0 , First, #, Prod_Pipe_12152014, SYSTEM, -1, -1, Pembina_PeacePipeline, PipeLineNa, -
1, -1; PRODUCT "PRODUCT" true true false 50 Text 0
0 , First, #, Prod_Pipe_12152014, PRODUCT, -1, -1, Pembina_PeacePipeline, Product, -1, -
1; CATEGORY "CATEGORY" true true false 30 Text 0
0 , First, #, Prod_Pipe_12152014, CATEGORY, -1, -1, Pembina_PeacePipeline, Category, -
1, -1; TYPE "TYPE" true true false 20 Text 0 0 , First, #, Prod_Pipe_12152014, TYPE, -
1, -1; LENGTHMI "LENGTHMI" true true false 8 Double 0
0 , First, #, Prod_Pipe_12152014, LENGTHMI, -1, -1; LENGTHKM "LENGTHKM" true true
false 8 Double 0 0 , First, #, Prod_Pipe_12152014, LENGTHKM, -1, -1; COMPID "COMPID"
true true false 8 Double 0 0 , First, #, Prod_Pipe_12152014, COMPID, -1, -1; PIPEID
"PIPEID" true true false 8 Double 0 0 , First, #, Prod_Pipe_12152014, PIPEID, -1, -
1; PROJNAME "PROJNAME" true true false 100 Text 0
0 , First, #, Prod_Pipe_12152014, PROJNAME, -1, -1; PROJSTATUS "PROJSTATUS" true true
false 50 Text 0 0 , First, #, Prod_Pipe_12152014, PROJSTATUS, -1, -
1, Pembina_PeacePipeline, Proj_Statu, -1, -1; PROJINSVC "PROJINSVC" true true false
8 Date 0 0 , First, #, Prod_Pipe_12152014, PROJINSVC, -1, -1; POSREL "POSREL" true
true false 100 Text 0 0 , First, #, Prod_Pipe_12152014, POSREL, -1, -
1, Pembina_PeacePipeline, POS_REL, -1, -1; Shape_Leng "Shape_Leng" true true false 8
Double 0 0 , First, #, Prod_Pipe_12152014, Shape_Leng, -1, -
1, Pembina_PeacePipeline, Shape_Leng, -1, -1; Shape_Length "Shape_Length" false true
true 8 Double 0 0 , First, #, Prod_Pipe_12152014, Shape_Length, -1, -1"
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-04-21 11:45:00

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CopyFeatures

COMMAND ISSUED

CopyFeatures GPL0

M: \MapData\Master_Layers\Prod_Copy.gdb\NGL_Refined_Product_Pipelines # 0 0 0
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

Hide Geoprocessing history ▲

Distribution ►

DISTRIBUTOR ►

AVAILABLE FORMAT

* NAME Shapefile

TRANSFER OPTIONS

* TRANSFER SIZE 26.727

ONLINE SOURCE

* LOCATION file: //\\co02FIL001\gis\Builds\ESRI_Shape\prod_pipe.shp

* ACCESS PROTOCOL Local Area Network

* DESCRIPTION Downloadable Data

Hide Distributor ▲

DISTRIBUTION FORMAT

* NAME File Geodatabase Feature Class

TRANSFER OPTIONS

* TRANSFER SIZE 26.727

Hide Distribution ▲

Fields ►

DETAILS FOR OBJECT NGL_Refined_Product_Pipelines ►

* TYPE Feature Class

* ROW COUNT 15383

DEFINITION

Polyline layer representing product pipeline transmission.

FIELD OBJECTID ►

* ALIAS OBJECTID

* DATA TYPE OID

* WIDTH 4

* PRECISION 0

* SCALE 0

* FIELD DESCRIPTION

Internal feature number.

* DESCRIPTION SOURCE

Esri

* DESCRIPTION OF VALUES

Sequential unique whole numbers that are automatically generated.

[Hide Field OBJECTID ▲](#)

FIELD Shape ▶

- * ALIAS Shape
- * DATA TYPE Geometry
- * WIDTH 0
- * PRECISION 0
- * SCALE 0
- * FIELD DESCRIPTION
Feature geometry.

- * DESCRIPTION SOURCE
ESRI

- * DESCRIPTION OF VALUES
Coordinates defining the features.

[Hide Field Shape ▲](#)

FIELD CHARID ▶

- * ALIAS CHARID
- * DATA TYPE String
- * WIDTH 10
- * PRECISION 0
- * SCALE 0
- * FIELD DESCRIPTION
Platts assigned identification number

[Hide Field CHARID ▲](#)

FIELD COMPNAME ▶

- * ALIAS COMPNAME
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0
- * FIELD DESCRIPTION
Owning company name

[Hide Field COMPNAME ▲](#)

FIELD DIAMETER ▶

- * ALIAS DIAMETER
- * DATA TYPE Double
- * WIDTH 8
- * PRECISION 0
- * SCALE 0
- * FIELD DESCRIPTION
Gas pipeline diameter, in inches

LIST OF VALUES

- | | |
|-------------|---------|
| VALUE | "-99" |
| DESCRIPTION | Unknown |

[Hide Field DIAMETER ▲](#)

FIELD TYPE ▶

- * ALIAS TYPE
- * DATA TYPE String
- * WIDTH 20
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

Pipeline type

LIST OF VALUES

VALUE Interstate

VALUE Intrastate

[Hide Field TYPE ▲](#)

FIELD PROJNAME ▶

- * ALIAS PROJNAME
- * DATA TYPE String
- * WIDTH 100
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

Proposed pipeline project name

[Hide Field PROJNAME ▲](#)

FIELD PROJSTATUS ▶

- * ALIAS PROJSTATUS
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

Proposed pipeline project status

[Hide Field PROJSTATUS ▲](#)

FIELD PROJINSVC ▶

- * ALIAS PROJINSVC
- * DATA TYPE Date
- * WIDTH 8
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

Proposed pipeline project in-service date

[Hide Field PROJINSVC ▲](#)

FIELD POSREL ▶

- * ALIAS POSREL

* DATA TYPE String
* WIDTH 100
* PRECISION 0
* SCALE 0
FIELD DESCRIPTION
Positional Reliability

Hide Field POSREL ▲

FIELD PRODUCT ►

* ALIAS PRODUCT
* DATA TYPE String
* WIDTH 50
* PRECISION 0
* SCALE 0
FIELD DESCRIPTION
Product delivered through the given pipeline

Hide Field PRODUCT ▲

FIELD CATEGORY ►

* ALIAS CATEGORY
* DATA TYPE String
* WIDTH 30
* PRECISION 0
* SCALE 0
FIELD DESCRIPTION
Product Category

Hide Field CATEGORY ▲

FIELD SYSTEM ►

* ALIAS SYSTEM
* DATA TYPE String
* WIDTH 100
* PRECISION 0
* SCALE 0
FIELD DESCRIPTION
System name for a given group of pipeline segments

Hide Field SYSTEM ▲

FIELD Shape_Length ►

* ALIAS Shape_Length
* DATA TYPE Double
* WIDTH 8
* PRECISION 0
* SCALE 0
* FIELD DESCRIPTION
Length of feature in internal units.

* DESCRIPTION SOURCE
Esri

* DESCRIPTION OF VALUES

Positive real numbers that are automatically generated.

[Hide Field Shape_Length ▲](#)

[Hide Details for object NGL_Refined_Product_Pipelines ▲](#)

OVERVIEW DESCRIPTION ►
[Hide Overview Description ▲](#)

[Hide Fields ▲](#)

Metadata Details ►

- * METADATA LANGUAGE English (UNITED STATES)
- * METADATA CHARACTER SET utf8 - 8 bit UCS Transfer Format
- * METADATA IDENTIFIER {4DC209C6-0874-4254-BAE8-EC3D7C313436}

SCOPE OF THE DATA DESCRIBED BY THE METADATA * dataset
SCOPE NAME * dataset

* LAST UPDATE 2015-05-27

ARCGIS METADATA PROPERTIES

METADATA FORMAT ArcGIS 1.0
METADATA STYLE XTools Pro Metadata
STANDARD OR PROFILE USED TO EDIT METADATA FGDC

CREATED IN ARCGIS FOR THE ITEM 2014-11-12 11:58:31
LAST MODIFIED IN ARCGIS FOR THE ITEM 2015-05-27 14:51:34

AUTOMATIC UPDATES
HAVE BEEN PERFORMED Yes
LAST UPDATE 2015-05-27 14:49:43

PUBLISHED TO AN ARCIMS METADATA SERVICE Published

[Hide Metadata Details ▲](#)

Thumbnail and Enclosures ►

THUMBNAIL
THUMBNAIL TYPE JPG

[Hide Thumbnail and Enclosures ▲](#)

FGDC Metadata (read-only) ►

Identification ►

CITATION

CITATION INFORMATION

ORIGINATOR Platts, a division of McGraw Hill Financial, Inc.

PUBLICATION DATE 05/15/2015

PUBLICATION TIME 09:00

TITLE

Refined Product Pipelines

GEOSPATIAL DATA PRESENTATION FORM vector digital data

PUBLICATION INFORMATION

PUBLICATION PLACE Denver, CO

PUBLISHER Platts, a division of McGraw Hill Financial, Inc.

ONLINE LINKAGE <http://www.platts.com/maps-geospatial>

ONLINE LINKAGE <http://www.maps.platts.com>

DESCRIPTION

ABSTRACT

The Platts Product Pipelines geospatial data layer contains interstate and intrastate pipelines throughout North America. These pipelines represent the "midstream" transportation routes of refined products. Included in the layer are proposed and under construction pipeline projects.

PURPOSE

The Platts Product Pipelines geospatial data layer was created to represent the product pipeline transmission system within North America.

TIME PERIOD OF CONTENT

TIME PERIOD INFORMATION

SINGLE DATE/TIME

CALENDAR DATE 2013

CURRENTNESS REFERENCE

publication date

STATUS

PROGRESS In work

MAINTENANCE AND UPDATE FREQUENCY Continually

SPATIAL DOMAIN

BOUNDING COORDINATES

WEST BOUNDING COORDINATE -158.129943

EAST BOUNDING COORDINATE -68.778158

NORTH BOUNDING COORDINATE 70.32670500000001

SOUTH BOUNDING COORDINATE 18.078362

KEYWORDS

THEME

THEME KEYWORD THESAURUS ArcIMS Metadata Server Theme Codes

THEME KEYWORD utilitiesCommunication

THEME

THEME KEYWORD THESAURUS NONE

THEME KEYWORD Product pipelines

THEME KEYWORD Refined

THEME KEYWORD Gas transmission

THEME KEYWORD Pipelines

THEME KEYWORD Gas pipelines

PLACE

PLACE KEYWORD THESAURUS NONE

PLACE KEYWORD United States

PLACE KEYWORD Alabama

PLACE KEYWORD Alaska

PLACE KEYWORD Arizona

PLACE KEYWORD Arkansas
PLACE KEYWORD California
PLACE KEYWORD Colorado
PLACE KEYWORD Connecticut
PLACE KEYWORD Delaware
PLACE KEYWORD District of Columbia
PLACE KEYWORD Washington D.C.
PLACE KEYWORD Florida
PLACE KEYWORD Georgia
PLACE KEYWORD Hawaii
PLACE KEYWORD Idaho
PLACE KEYWORD Illinois
PLACE KEYWORD Indiana
PLACE KEYWORD Iowa
PLACE KEYWORD Kansas
PLACE KEYWORD Kentucky
PLACE KEYWORD Louisiana
PLACE KEYWORD Maine
PLACE KEYWORD Maryland
PLACE KEYWORD Massachusetts
PLACE KEYWORD Michigan
PLACE KEYWORD Minnesota
PLACE KEYWORD Mississippi
PLACE KEYWORD Missouri
PLACE KEYWORD Montana
PLACE KEYWORD Nebraska
PLACE KEYWORD Nevada
PLACE KEYWORD New Hampshire
PLACE KEYWORD New Jersey
PLACE KEYWORD New Mexico
PLACE KEYWORD New York
PLACE KEYWORD North Carolina
PLACE KEYWORD North Dakota
PLACE KEYWORD Ohio
PLACE KEYWORD Oklahoma
PLACE KEYWORD Oregon
PLACE KEYWORD Pennsylvania
PLACE KEYWORD Rhode Island
PLACE KEYWORD South Carolina
PLACE KEYWORD South Dakota
PLACE KEYWORD Tennessee
PLACE KEYWORD Texas
PLACE KEYWORD Utah
PLACE KEYWORD Vermont
PLACE KEYWORD Virginia
PLACE KEYWORD Washington
PLACE KEYWORD West Virginia
PLACE KEYWORD Wisconsin
PLACE KEYWORD Wyoming
PLACE KEYWORD Canada
PLACE KEYWORD Alberta
PLACE KEYWORD British Columbia
PLACE KEYWORD Manitoba
PLACE KEYWORD New Brunswick
PLACE KEYWORD Newfoundland
PLACE KEYWORD Northwest Territories
PLACE KEYWORD Nova Scotia
PLACE KEYWORD Nunavut

PLACE KEYWORD Ontario
PLACE KEYWORD Prince Edward Island
PLACE KEYWORD Quebec
PLACE KEYWORD Saskatchewan
PLACE KEYWORD Yukon Territory
PLACE KEYWORD Mexico
PLACE KEYWORD Aguascalientas
PLACE KEYWORD Baja California Norte
PLACE KEYWORD Baja California Sur
PLACE KEYWORD Campeche
PLACE KEYWORD Chiapas
PLACE KEYWORD Chihuahua
PLACE KEYWORD Coahuila
PLACE KEYWORD Colima
PLACE KEYWORD Durango
PLACE KEYWORD Federal District
PLACE KEYWORD Guanajuato
PLACE KEYWORD Guerrero
PLACE KEYWORD Hidalgo
PLACE KEYWORD Jalisco
PLACE KEYWORD Michoacan De Ocampo
PLACE KEYWORD Morelos
PLACE KEYWORD Nayarit
PLACE KEYWORD Nuevo Leon
PLACE KEYWORD Oaxaca
PLACE KEYWORD Puebla
PLACE KEYWORD Queretaro
PLACE KEYWORD Quintana Roo
PLACE KEYWORD San Luis Potosi
PLACE KEYWORD Sinaloa
PLACE KEYWORD Sonora
PLACE KEYWORD Tabasco
PLACE KEYWORD Tamaulipas
PLACE KEYWORD Tlaxcala
PLACE KEYWORD Veracruz
PLACE KEYWORD Yucatan
PLACE KEYWORD Zacatecas
PLACE KEYWORD North America
PLACE KEYWORD Latin America
PLACE KEYWORD US
PLACE KEYWORD USA

ACCESS CONSTRAINTS

Access is limited to the users identified in Master Service Agreement with Platts.

POINT OF CONTACT

CONTACT INFORMATION

CONTACT ORGANIZATION PRIMARY

CONTACT ORGANIZATION Platts, a division of McGraw Hill Financial, Inc.

CONTACT PERSON Geospatial Manager

CONTACT POSITION Platts Geospatial Team, Denver CO, USA

CONTACT ADDRESS

ADDRESS TYPE Street Address

ADDRESS 1800 Larimer Street, Suite 2000

CITY Denver

STATE OR PROVINCE CO

POSTAL CODE 80202

COUNTRY UNITED STATES

CONTACT VOICE TELEPHONE 1-800-PLATTS-8
CONTACT ELECTRONIC MAIL ADDRESS maps@platts.com
CONTACT ELECTRONIC MAIL ADDRESS maps@bentekenergy.com
HOURS OF SERVICE 8am-4pm
CONTACT INSTRUCTIONS
Email us at maps@platts.com.

NATIVE DATA SET ENVIRONMENT
Microsoft Windows 7 Version 6.1 (Build 7601) Service Pack 1; Esri ArcGIS 10.2.0.3348

Hide Identification ▲

Data Quality ►

POSITIONAL ACCURACY

HORIZONTAL POSITIONAL ACCURACY

HORIZONTAL POSITIONAL ACCURACY REPORT

Accuracy varies. See POS_REL (positional reliability) attribute for details.

LINEAGE

PROCESS STEP

PROCESS STEP

PROCESS DESCRIPTION

Dataset copied.

SOURCE USED CITATION ABBREVIATION

PROCESS DATE 2009-07-28

PROCESS TIME 11:42:44

PROCESS STEP

PROCESS DESCRIPTION

Dataset copied.

SOURCE USED CITATION ABBREVIATION

C:\Client_Work\gas_pipe

PROCESS DATE 2009-07-28

PROCESS TIME 11:46:46

PROCESS STEP

PROCESS DESCRIPTION

Dataset copied.

SOURCE USED CITATION ABBREVIATION

PROCESS DATE 2009-10-20

PROCESS TIME 14:04:54

PROCESS STEP

PROCESS DESCRIPTION

Dataset copied.

SOURCE USED CITATION ABBREVIATION

C:\temp\gas_pipe

PROCESS DATE 2009-10-20

PROCESS TIME 14:14:13

PROCESS STEP

PROCESS DESCRIPTION

Metadata imported.

SOURCE USED CITATION ABBREVIATION

G:\Builds\ESRI_Shape\gas_pipe.shp.xml

PROCESS DATE 2009-11-25

PROCESS TIME 15:05:28

PROCESS STEP

PROCESS DESCRIPTION

Metadata imported.

SOURCE USED CITATION ABBREVIATION

G:\Builds\ESRI_Shape\o_pipe.shp.xml

PROCESS DATE 2009-11-25

PROCESS TIME 15:18:17

Hide Data Quality ▲

Spatial Reference ►

HORIZONTAL COORDINATE SYSTEM DEFINITION

GEOGRAPHIC

LATITUDE RESOLUTION 0.000000

LONGITUDE RESOLUTION 0.000000

GEOGRAPHIC COORDINATE UNITS Decimal degrees

GEODETTIC MODEL

HORIZONTAL DATUM NAME D_WGS_1984

ELLIPSOID NAME WGS_1984

SEMI-MAJOR AXIS 6378137

DENOMINATOR OF FLATTENING RATIO 298.257224

Hide Spatial Reference ▲

Entities and Attributes ►

DETAILED DESCRIPTION

ENTITY TYPE

ENTITY TYPE LABEL NGL_Refined_Product_Pipelines

ENTITY TYPE DEFINITION

Polyline layer representing product pipeline transmission.

ATTRIBUTE

ATTRIBUTE LABEL OBJECTID

ATTRIBUTE DEFINITION

Internal feature number.

ATTRIBUTE DEFINITION SOURCE Esri

ATTRIBUTE DOMAIN VALUES

UNREPRESENTABLE DOMAIN

Sequential unique whole numbers that are automatically generated.

ATTRIBUTE

ATTRIBUTE LABEL Shape

ATTRIBUTE DEFINITION

Feature geometry.

ATTRIBUTE DEFINITION SOURCE ESRI

ATTRIBUTE DOMAIN VALUES

UNREPRESENTABLE DOMAIN

Coordinates defining the features.

ATTRIBUTE

ATTRIBUTE LABEL CHARID

ATTRIBUTE DEFINITION

Platts assigned identification number

ATTRIBUTE

ATTRIBUTE LABEL COMPNAME

ATTRIBUTE DEFINITION

Owning company name

ATTRIBUTE

ATTRIBUTE LABEL DIAMETER

ATTRIBUTE DEFINITION

Gas pipeline diameter, in inches

ATTRIBUTE DOMAIN VALUES

ENUMERATED DOMAIN

ENUMERATED DOMAIN VALUE "-99"

ENUMERATED DOMAIN VALUE DEFINITION

Unknown

ATTRIBUTE

ATTRIBUTE LABEL TYPE

ATTRIBUTE DEFINITION

Pipeline type

ATTRIBUTE DOMAIN VALUES

ENUMERATED DOMAIN

ENUMERATED DOMAIN VALUE Interstate

ENUMERATED DOMAIN

ENUMERATED DOMAIN VALUE Intrastate

ATTRIBUTE

ATTRIBUTE LABEL PROJNAME

ATTRIBUTE DEFINITION

Proposed pipeline project name

ATTRIBUTE

ATTRIBUTE LABEL PROJSTATUS

ATTRIBUTE DEFINITION

Proposed pipeline project status

ATTRIBUTE

ATTRIBUTE LABEL PROJINSVC

ATTRIBUTE DEFINITION

Proposed pipeline project in-service date

ATTRIBUTE

ATTRIBUTE LABEL POSREL

ATTRIBUTE DEFINITION

Positional Reliability

ATTRIBUTE

ATTRIBUTE LABEL PRODUCT

ATTRIBUTE DEFINITION

Product delivered through the given pipeline

ATTRIBUTE

ATTRIBUTE LABEL CATEGORY

ATTRIBUTE DEFINITION

Product Category

ATTRIBUTE

ATTRIBUTE LABEL SYSTEM
ATTRIBUTE DEFINITION
System name for a given group of pipeline segments

ATTRIBUTE
ATTRIBUTE LABEL Shape_Length
ATTRIBUTE DEFINITION
Length of feature in internal units.
ATTRIBUTE DEFINITION SOURCE Esri
ATTRIBUTE DOMAIN VALUES
UNREPRESENTABLE DOMAIN
Positive real numbers that are automatically generated.

OVERVIEW DESCRIPTION

Hide Entities and Attributes ▲

Distribution Information ►

DISTRIBUTION LIABILITY
Platts is not liable for decisions based on this data. Customer assumes liability and is encouraged to seek multiple sources.

Hide Distribution Information ▲

Metadata Reference ►

METADATA DATE 2015-04-28
METADATA CONTACT
CONTACT INFORMATION
CONTACT PERSON PRIMARY
CONTACT ORGANIZATION Platts
CONTACT ADDRESS
ADDRESS TYPE mailing and physical address
ADDRESS 1800 Larimer Street, Suite 2000
CITY Denver
STATE OR PROVINCE CO
POSTAL CODE 80202
COUNTRY United States

CONTACT ELECTRONIC MAIL ADDRESS maps@platts.com

METADATA STANDARD NAME FGDC Content Standards for Digital Geospatial Metadata
METADATA STANDARD VERSION FGDC-STD-001-1998
METADATA TIME CONVENTION local time

METADATA ACCESS CONSTRAINTS NONE
METADATA USE CONSTRAINTS
NONE

Hide Metadata Reference ▲