S&P Global
Energy



Gallium Market Report

Gallium (Ga)

October 2026

© 2026 by S&P Global Inc. All rights reserved.

Preamble

This draft **Gallium Market Report** aims to increase transparency within the gallium supply chain, helping public and private stakeholders make more informed investment decisions across the commodity lifecycle. It briefly outlines current supply chain bottlenecks, resiliency issues, and the market signals needed to support a more robust and diverse supply base.

S&P Global conducted a bottom-up, asset-level analysis of production costs for low purity gallium from alumina and zinc recovery processes. These production cost curves provide an independent view of supply economics and identify the marginal supplier in a structurally tight market. The analysis excludes assets located in Russia, China, and North Korea, as well as any assets worldwide that are majority-owned by Chinese companies.

This analysis reflects a multi-year effort combining bottom-up asset modelling, proprietary market intelligence, extensive research, expert assumptions, and industry consultation to overcome significant data limitations across the opaque mineral value chain.

The market values in this report represent a fundamentals-based assessment of the cost and the break-even range required for gallium production sources to remain economically viable and meet sufficient G7+Australia demand. This enhanced cost transparency can facilitate better-informed offtake agreements and investments throughout the supply chain. However, actual transactions also factor in inventory levels, broader market conditions, global trade dynamics, and other variables not included in this analysis.

These values are different to the spot market price assessments published by Platts, part of S&P Global Energy (link).

Given the limited availability of public data, this report is based on S&P Global's proprietary market and mineral intelligence and our analysis of company disclosures, and market information. We welcome input[1] from market participants to support the ongoing refinement of future editions.

Contacts:

Critical Minerals Consulting
CERACriticalMinerals@spglobal.com

1. S&P Global would like to acknowledge and thank Rovjok for their feedback and contribution.

© 2026 by S&P Global Inc. All rights reserved.

Key Takeaways

- S&P Global estimates that the gallium primary refinery assets require a structural cost of $620-700/kg Ga in 2028 to sustain at least five projects in the pipeline. This would result in approximately $75-93 million in additional spending in 2028.
- Gallium demand is expected to rise by ~12% per year between 2026 and 2030, driven by rapid growth in both semiconductor and permanent magnet applications.
- Supply outside of China is currently limited to ~5 metric tons (t) Ga. An additional ~275 t Ga from seven announced projects could expand resilient supply[1] to 280 t Ga by 2028, requiring an aggregate capital investment of $831 million to unlock. This would reduce import dependency to 53% for G7 + Australia.

Introduction

Gallium is a technology metal whose unique electronic properties make substitution challenging in next-generation semiconductors. Gallium-based compounds outperform silicon in electron mobility and support higher operating temperatures, voltages, and power-conversion efficiency. This ability to form high-performance compounds has cemented gallium's position as an enabler of the burgeoning data center space, as well as a substitute for heavy rare earths in permanent magnets by improving coercivity and thermal stability.

The primary bottleneck for gallium is that it is not mined directly but recovered from side streams generated during alumina refining (and, to a lesser extent, zinc processing) before being further refined into metal. This ties its supply directly to the existing value chain for aluminum. China accounts for ~99% of global primary low purity gallium production, creating an extreme concentration of supply that exposes global technology and defense sectors to significant disruption.

Further down the value chain, refining is less concentrated, as China accounts for only around 60% of total high purity refining capacity. However, because refining facilities are dependent on feedstock, China largely retains control over prices and supply.

China's control of supply alongside gallium's relevance have placed it at the center of trade and technology disputes. China implemented export restrictions on the US, Japan, and Europe starting in 2023. China's subsequent December 2024 export ban to the US drove gallium prices to around $2,100/kg in 2026, roughly seven times 2023 levels under the prior export-control regime.

Gallium's Properties

Melting Point:
29.8 °C

Gallium turns liquid at hand temperature

Boiling Point:
2,400 °C

Gallium remains liquid at an extremely high temperature range

Chemical Compatibility:
6x electron speed vs. silicon

Its ability to bond with arsenic and nitrogen enables semiconductors to be faster and more heat resistant

1. Resilient supply excludes China, Russia, and North Korea as suppliers
Sources: S&P Global; USGS; resilient supply excludes assets in China, Russia, North Korea and/or owned by Chinese companies

© 2026 by S&P Global Inc. All rights reserved.


Gallium demand

Gallium is a strategically important critical mineral because of its role in semiconductors, high-performance magnets, photovoltaics, and other applications. It is used in compound semiconductor materials such as gallium arsenide (GaAs) and gallium nitride (GaN), which are used to manufacture semiconductor wafers and solar cells. Gallium oxide and gallium-containing alloys are also used in semiconductor, photovoltaic, and magnet applications.


Demand is driven by performance, making it less sensitive to price. Substitution is possible in some applications, particularly through alternative magnet chemistries or the use of heavy rare earth element, but often involves performance or cost trade-offs.

Global demand reached approximately 1,000 t Ga contained in 2025 and is projected to grow to 1,738 t Ga by 2030. Semiconductor applications account for ~61% of demand and are expected to drive most growth, supported by expanding AI infrastructure and telecommunications equipment. Magnets represent 36%, and the remaining 3% is distributed among others like photovoltaics, medical applications, and catalyzers.

Semiconductor supply chains involve multiple manufacturing stages before products reach end users. For example, ~90% of global NdFeB magnet production is concentrated in China and exported as semi-finished or finished products. To better reflect ultimate consumption, regional demand throughout this report is presented on an end-use basis. As a result, China accounts for ~37% of global end-use gallium demand.



Gallium end-use demand outlook 2028 - 2030



1. Rest of World

Sources: S&P Global Analysis


© 2026 by S&P Global Inc. All rights reserved.

Gallium supply


The primary bottleneck in the gallium supply chain lies in the initial recovery of gallium from alumina and zinc refining. While many alumina and zinc refineries process ores containing gallium, most facilities do not recover it. Historically, alumina refineries in Hungary, Kazakhstan, and Ukraine have recovered gallium but stopped processing for economic reasons. Currently, only the Iijima facility in Japan produces gallium, at ~5 t Ga per year. As a result, 99% of low-purity gallium refining capacity is now concentrated in China. This contrasts with high-purity gallium production, where existing resilient supply capacity stands at approximately 250 t Ga, representing around 38% of global high-purity supply.

A significant expansion pipeline is emerging, with eight projects outside China expected to add nearly 381 t Ga of production capacity by 2030, requiring ~$1.1 billion. If existing ex-China alumina and zinc refineries were to implement gallium recovery, potential supply could exceed three times current global output, highlighting that resource availability is not the main constraint. However, portions of the supply chain could remain dependent on Chinese ion-exchange resins remaining cost-competitive, which are also under export controls. Existing small-scale capacity in the US and Europe could also be expanded with additional investment.

Market Structure[1]



Gallium production potential (primary) resilient supply capacity[2]



The supply chart represents potential risked supply pipeline based on company announcements


Note: Despite new scrap, the end-of-life recycling industry is almost non-existent, so the semiconductor sector is largely reliant on the primary extraction volumes.
1. Low-purity refining data is for 2025, high-purity refining data is for 2024; 2. Resilient supply excludes China, Russia, and North Korea as suppliers

Sources: S&P Global, USGS (Gallium 2026 Commodity Summary).

© 2026 by S&P Global Inc. All rights reserved.

Supply-demand balance

Supply-demand balance outside of China and Russia



- By the end of 2026, available ex-China supply capacity will be just 20 t Ga, leaving a supply gap of ~653 t Ga.
- By 2028, ex-China gallium capacity could reach approximately 280 t, reducing the supply-demand gap to around 565 t Ga.
- However, by 2030, even if all announced projects are delivered and ramp up as planned to a total of 386 t of ex-China gallium capacity, the market would still face a 652 t Ga gap to end-use demand beyond dominant market. This would represent an 87 t Ga increase in the deficit relative to 2028.

Recent market events


- US Department of Defense (DOD) backs Alcoa's gallium facility in Australia with $174 million equity investment, in cooperation with Export Finance Australia, the Government of Japan and Sojitz Corp [Platts, August 2026].
- Ramaco signs third supply-related memorandum of understanding for Brook Mine critical minerals project in Wyoming [Platts, August 2026].
- Metlen signed an offtake agreement covering 25% of output from its planned 50 t Ga facility, part of a €300 million EU-backed project targeting production by 2028 [Platts, July 2026].
- Canada committed up to C$281.7 million to support Teck's Trail site expansion, targeting production of gallium, germanium, and antimony [Platts, July 2026].
- Korea Zinc received $25 million from the US DOD to expand domestic gallium and germanium refining capacity at its Indiana recycling facility [Platts, July 2026].
- Atalco received $150 million in US government equity investment, alongside $300 million in private capital from Pinnacle Asset Management to build the first large-scale gallium refinery in the US at its Gramercy, Louisiana alumina facility [Platts, January 2026].

1. Demand beyond dominant market comprises global demand excluding China.
Sources: S&P Global Analysis

© 2026 by S&P Global Inc. All rights reserved.

Gallium structural cost

2028 gallium production structural cost curve



Structural Cost: Represents the full cost required for an asset to achieve its target return on investment, assuming projects are developed in line with announced timelines and operate at capacity. This cost considers an unrisked projection subject to normal industry attrition and delays

Structural cost - Findings

- S&P Global CERA estimates that a structural cost range of between **$620/kg and $700/kg** would support around 220 t of the gallium production pipeline.
- Relative to pre-export restriction prices, these structural cost ranges would result in approximately $75-93 million in additional spending in 2028
- By 2028, an aggregate capital investment of $831 million will be required to unlock all announced supply. This would reduce import dependency to 53% for G7 + Australia
- Excluding capital expenditures (CapEx), a cost range between **$420/kg to $460/kg** would be sufficient to sustain operation of these projects once commissioned.
- Beyond CapEx for new projects, resins used as reagents for gallium separation are the major cost driver at alumina refineries
- Zinc-based refineries exhibit lower unit costs due to cost allocation to germanium

Structural cost - Approach


- Reflects Market Complexity: Built on extensive research and bottom-up modelling, incorporating asset-level data, industry consultation, benchmarking, and expert assumptions to navigate a highly opaque supply chain.
- Targets the Marginal Supplier: The 80th-90th percentile identifies the highest-cost producers. Long-term commodity prices naturally gravitate toward the cost of the last unit needed to meet demand. This percentile filters out extreme outliers while capturing the true marginal cost.
- Incentivizes Supply Resiliency ex-China: It establishes a long-term structural benchmark rather than a short-term forecast, capturing the full asset economics.
- Excludes Unnecessary Costs: Feedstock costs were not considered because gallium is recovered from side streams generated during alumina refining and zinc processing

1. End-use demand reflects the geography of ultimate consumption, rather than first-use demand, which is based on the location of initial material transformation

Sources: S&P Global Analysis; Long term price assumptions were sourced from Project Blue

© 2026 by S&P Global Inc. All rights reserved.

Challenge of cost components and methodological approach



Labor: Labor costs are estimated by combining the number of full-time equivalent employees (FTEs), regional processing/refining wage rates[1], and a regional multiplier to account for additional mining and refining labor costs. FTE requirements are estimated using an S-curve relationship between plant capacity and workforce size, calibrated with available industry data.

Energy: Power and utility costs are estimated based on the electricity consumption required per metricton of production and the local wholesale electricity price.

Reagents: Reagent costs are estimated using chemical consumption rates per metric ton of production and corresponding regional prices. Estimates are based on a combination of reagent-specific consumption data and reported overall reagent costs. Reagents used exclusively in gallium refining are fully allocated to gallium.

Operational margin: A 10% operational margin is applied to facility OPEX costs to represent facility-level profitability. This adjustment shifts the curve from a cost basis to a price-like basis.

Capital expenditure: Includes levelized initial CapEx, allocated to each facility and recovered over a 20-year project life using a 7% discount rate to reflect the time value of money, as well as sustaining CapEx representing ongoing investments required to maintain operations and productive capacity, estimated as 2% of initial CapEx.

Feedstock: Feedstock costs are not included because gallium is recovered from side streams generated during alumina refining and zinc processing, with the associated feedstock costs allocated to the primary metals.

All cost components are estimated at the facility level and converted to a unit cost based on annual capacity.

Co-product cost allocation: For refineries producing both gallium and germanium, shared costs are allocated based on each product's share of expected revenue[1], while costs attributable to mineral-specific processes were assigned entirely to the corresponding mineral. Expected revenue is estimated as production volume multiplied by expected prices of gallium and germanium. Values are preliminary and will be refined through further S&P Global analysis, data review, industry consultation and stakeholder review.


1. Price assumptions are based on Project Blue price outlooks.

© 2026 by S&P Global Inc. All rights reserved.

S&P Global

Ga Market Report | October 2026

Ga value chain



S&P Global
Energy

Disclaimer

S&P Global Energy (“SPGE”) is a business division of S&P Global Inc. This document (“Materials”), including all data and information in it is the copyrighted property of SPGE and represents data, research, opinions, or viewpoints of SPGE. The Materials speak to their original publication date only. The Materials’ contents are from sources considered by SPGE (in its professional opinion) to be reliable, but SPGE does not assume responsibility for the accuracy or completeness thereof, nor is their accuracy or completeness or the opinions and analyses based upon them warranted. The Materials should not be construed or regarded as a recommendation of any specific price assessment or benchmark. Forecasts are inherently uncertain because of events or combinations of events that cannot reasonably be foreseen including the actions of government, individuals, third parties and competitors.

To the extent permitted by law, SPGE shall not be liable for any errors or omissions or any loss, damage, or expense incurred by reliance on the Materials or any statement contained therein, or resulting from any omission. THE MATERIALS ARE PROVIDED “AS IS” AND TO THE MAXIMUM EXTENT ALLOWED BY LAW, NEITHER SPGE, ITS AFFILIATES NOR ANY THIRD-PARTY PROVIDERS MAKES ANY REPRESENTATION, WARRANTY, CONDITION, OR UNDERTAKING, WHETHER EXPRESS, IMPLIED, STATUTORY OR OTHERWISE, RELATING TO THE MATERIALS OR THE RESULTS OBTAINED IN USING THEM; INCLUDING: A) ITS MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE; OR B) ITS CONTINUITY, ACCURACY, TIMELINESS OR COMPLETENESS. The Materials are supplied without obligation and on the understanding that any recipient who acts upon the Materials or otherwise changes its position in reliance thereon does so entirely at its own risk.

The Materials should not be construed as financial, investment, legal, or tax advice or any advice regarding a recipient’s corporate or legal structure, assets or, liabilities, financial capital or debt structure, current or potential credit rating or advice directed at improving a recipient’s creditworthiness nor should they be regarded as an offer, recommendation, or as a solicitation of an offer to buy, sell or otherwise deal in any investment or securities or make any other investment decisions. The Materials should not be relied on by any recipient in making any investment or other decision and should not in any way serve as a substitute for other enquiries or procedures which may be appropriate. The Materials should not be used as the basis of or input for any ESG rating, score, opinion, or evaluation. The Materials should not be reproduced or made available to any other person without SPGE’s prior written consent. Recipient may not use the Materials to transmit, undertake or encourage any unauthorised investment advice or financial promotions, or to generate any advice, recommendations, guidance, publications or alerts made available to its own customers or any other third-parties. Nothing in the Materials constitutes a solicitation by SPGE or its Affiliates of the purchase or sale of any loans, securities or investments. SPGE personnel are not providing legal advice or acting in the capacity of lawyers under any jurisdiction in the publication or delivery of the Materials. SPGE is not a registered lobbyist and cannot advocate on anyone’s behalf to government officials regarding specific policies. The Materials contain the results of SPGE’s independent research and analysis and are intended for general informational purposes only. The Materials are not intended, and may not be used, to promote, directly or indirectly, the supply or use of any product or business interest, including, but not limited to, the benefits of any product, business, or business activity for protecting or restoring the environment or mitigating the causes or effects of climate change. No data or opinions contained in the Materials constitutes a representation to the public with respect to the benefits of any product, business or business activity, and should not be relied on as a recommendation for any specific action to be taken.

SPGE owns all rights, title, and interest in and to the Materials. The SPGE name(s) and logo(s) and their related trademarks appearing in the Materials are the property of S&P Global Inc. or their respective owners.

© 2026 by S&P Global Inc. All rights reserved.


S&P Global
Energy